


Depth Interval	Designation for Report	Depth Interval	Designation for Report
<math>< 50'</math>	A	200-250'	H
50-100'	B	>200'	I
<math>< 100'</math>	C	200-300'	J
100-150'	D	250-300'	K
100-200'	E	>300'	L
150-200'	F	300-350'	M
<math>< 200'</math>	G	350-400'	N
		400-450'	P

COLUMBINE MINE

Boundary between Mines

Street Name

Boundary between Depth Intervals



EXPLANATION

- Limit of Potential Subsidence
- Mine Name
- Boundary between Mines
- Street Name
- Boundary between Depth Intervals

GENERAL NOTES

- Aerial photograph basemaps were obtained from Colorado Aerial, Inc. The aerial photography was flown in October 1987.
- Mine boundaries shown were transferred from available maps depicting the limits of potential subsidence. These boundaries have been reproduced as accurately as practical given the scale and quality of the photographic basemaps. The basis of the boundaries were developed from: Dames & Moore, 1984, Colorado Springs Subsidence Investigation; Prepared for State of Colorado, Mined Land Reclamation Division.

JOHNSON & HIGGINS		SCHNABEL ENGINEERING ASSOCIATES	
DENVER, CO.		LAKEWOOD, CO.	
State Of Colorado, Mined Land Reclamation Division SUBSIDENCE PROTECTION PROGRAM <b>COLORADO SPRINGS COAL FIELD</b> <b>Rockrimmon Area</b>			
DATE	3/21/88	DRAWN: SCH	DRAWING NUMBER
SCALE:	1"=500'	AUTH: AEC	CS-1
			REV.